



## SYNMAR STEERING FLUID C | S400802

### Description

Synmar Steering Fluid C is a full synthetic hydraulic fluid, especially developed for hydraulic systems like levelling systems and power steering systems in tractors, passenger cars and commercial vehicles. Synmar Steering Fluid C has a very high viscosity index and a very low pour point. Due to these features, the viscosity will hardly change under varying temperatures.

### Application

Synmar Steering Fluid C protects the system against oxidation. Because of the high boiling point and the water resistance, the product can be applied for a long lasting and safe use when this type of fluid is prescribed.

### Performance Level

Porsche 000 043 206 56  
 DIN 51524/3 (HVLP)  
 VW TL 52 146 (G002 000/G004 000)  
 Volvo 30741424  
 ISO 7308  
 Hyundai 00232-19017 GM/Opel B 040 2012  
 Ford WSS-M2C204-A/A1  
 GM/Opel 19 40 715/766  
 Porsche 000.043.203.33/000.043.20 6.56  
 Volvo 1161529/30741424  
 ZF TE-ML 02K  
 MB 345.0  
 MAN M 3289  
 BMW 81 22 9 407 758  
 Volvo STD/127.336

### Typicals

Colour	Green
Density at 20°C	0.84 kg/l
Viscosity, kinematic at 40°C	19 cSt
Viscosity, kinematic at 100°C	6 cSt
Viscosity Index	303
Flash point	156 °C
Pour point	-58 °C