

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Synmar Alexius IX**

Article number S300008

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses  
Transmission oil  
Professional use  
Consumer use

#### 1.3 Details of the supplier of the safety data sheet

Synmar B.V.  
Albert Schweitzerstraat 7  
7131 PG Lichtenvoorde  
Netherlands

Telephone: +31 (0) 33 303 3044

e-mail: info@synmar.nl

Website: www.synmar.nl

e-mail (competent person)

info@synmar.nl

#### 1.4 Emergency telephone number

Emergency information service

+31 (0) 33 303 3044

This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of H-phrases: see SECTION 16

Code	Supplemental hazard information
EUH208	contains N,N-dicocoalkyl 3-amino-propane-1,2-diol, Benzene, polypropene derivs., sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid. May produce an allergic reaction

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Not required.

- pictograms Not required.

- hazard statements

H412 Harmful to aquatic life with long lasting effects.

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### - precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P273	Avoid release to the environment.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

### - supplemental hazard information

EUH208 Contains N,N-dicocoalkyl 3-amino-propane-1,2-diol, Benzene, polypropene derivs., sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid. May produce an allergic reaction.

## 2.3 Other hazards

There is no additional information.

### Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be a PBT or a vPvB  $\geq$  0.1%.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Baseoil-unspecified	CAS No 72623-87-1  EC No 276-738-4  Index No 649-483-00-5	$\geq$ 50	Asp. Tox. 1 / H304		L(b)
Bis(nonylphenyl)amine	CAS No 36878-20-3  EC No 253-249-4	1 – 3	Aquatic Chronic 4 / H413		
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	CAS No 398141-87-2  EC No 800-172-4	1 – 3	Aquatic Chronic 2 / H411		
Methyl-1H-benzotriazole	CAS No 29385-43-1  EC No 249-596-6	0.1 – 1	Acute Tox. 4 / H302 Repr. 2 / H361 Aquatic Chronic 2 / H411		
1-(tert-dodecylthio)propan-2-ol	CAS No 67124-09-8  EC No 266-582-5	0.1 – 1	Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		

# Safety Data Sheet





acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
C14-18 alpha-olefin epoxide, reaction products with boric acid	EC No 939-580-3	0.1 - 1	Skin Sens. 1B / H317		
N,N-dicocoalkyl 3-amino-propane-1,2-diol	CAS No 897393-64-5  EC No 482-000-4	0.1 - 1	Skin Sens. 1 / H317 Aquatic Chronic 3 / H412		
Benzene, polypropene derivs., sulfonated, calcium salts	CAS No 75975-85-8  EC No 616-278-7	0.1 - 1	Skin Sens. 1B / H317		
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	CAS No 1218787-32-6  EC No 620-540-6	<0.1	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		

### Notes

L(b): The classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
1-(tert-dodecylthio)propan-2-ol	CAS No 67124-09-8  EC No 266-582-5	Skin Sens. 1B; H317: C ≥ 14.2 %	-	-	
Methyl-1H-benzotriazole	CAS No 29385-43-1  EC No 249-596-6	-	-	720 mg/kg	oral
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	CAS No 1218787-32-6  EC No 620-540-6	-	M-factor (acute) = 10	1,500 mg/kg	oral

### Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. In case of vomiting keep the head low so that stomach contents cannot enter the lungs. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray; Foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>);  
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced: nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), hydrogen sulphide (H<sub>2</sub>S), sulphur oxides (SO<sub>x</sub>).

### 5.3 Advice for firefighters

Keep containers cool with water spray. In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Bunding. Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.). Pump out large quantities.

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### Appropriate containment techniques

Use of adsorbent materials.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before reuse. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding-stuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

#### Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

#### Consideration of other advice

Store in a dry place. Store in a well-ventilated place. Keep container tightly closed.

- specific designs for storage rooms or vessels

- storage temperature

Maximum storage temperature: 40 °C

- maximum storage period

60 ms

- packaging compatibilities

Keep only in original container.

### 7.3 Specific end use(s)

There is no additional information.

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

No information available.

##### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	DNEL	24.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	DNEL	350 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	DNEL	4.35 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	DNEL	125 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	DNEL	2.5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	11.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	3.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	215.4 µg/cm <sup>2</sup>	human, dermal	worker (industry)	acute - local effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	2.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	1.67 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	107.7 µg/cm <sup>2</sup>	human, dermal	consumer (private households)	acute - local effects
1-(tert-dodecylthio)propan-2-ol	67124-09-8	DNEL	0.84 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Methyl-1H-benzotriazole	29385-43-1	DNEL	0.25 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Methyl-1H-benzotriazole	29385-43-1	DNEL	21.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Methyl-1H-benzotriazole	29385-43-1	DNEL	0.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methyl-1H-benzotriazole	29385-43-1	DNEL	350 µg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Methyl-1H-benzotriazole	29385-43-1	DNEL	0.01 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Methyl-1H-benzotriazole	29385-43-1	DNEL	0.01 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid		DNEL	5.88 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid		DNEL	16.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid		DNEL	1.45 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid		DNEL	8.3 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
C14-18 alpha-olefin epoxide, reaction products with boric acid		DNEL	0.83 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DNEL	2.96 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DNEL	0.42 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DNEL	0.522 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DNEL	0.15 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DNEL	0.15 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	2.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	0.33 µg/l	aquatic organisms	marine water	short-term (single instance)
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	0.433 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	59.6 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	PNEC	85.3 µg/kg	terrestrial organisms	soil	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	0.006 mg/l	aquatic organisms	freshwater	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	8.28 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	0.828 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
1-(tert-dodecylthio)propan-2-ol	67124-09-8	PNEC	0.244 mg/kg	terrestrial organisms	soil	short-term (single instance)
Methyl-1H-benzotriazole	29385-43-1	PNEC	0.086 mg/l	aquatic organisms	water	intermittent release
Methyl-1H-benzotriazole	29385-43-1	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Methyl-1H-benzotriazole	29385-43-1	PNEC	20 µg/l	aquatic organisms	marine water	short-term (single instance)
Methyl-1H-benzotriazole	29385-43-1	PNEC	39.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Methyl-1H-benzotriazole	29385-43-1	PNEC	0.117 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl-1H-benzotriazole	29385-43-1	PNEC	0.292 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methyl-1H-benzotriazole	29385-43-1	PNEC	18.7 µg/kg	terrestrial organisms	soil	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	1 mg/l	aquatic organisms	water	intermittent release
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	0.1 mg/l	aquatic organisms	marine water	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	42,700 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	4,270 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
C14-18 alpha-olefin epoxide, reaction products with boric acid		PNEC	8,540 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	0.214 µg/l	aquatic organisms	freshwater	short-term (single instance)
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	0.021 µg/l	aquatic organisms	marine water	short-term (single instance)
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	1,500 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	1.692 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	0.169 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	PNEC	5 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection

##### Skin protection



Chemical protective clothing.

##### - hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### - type of material

PVC: polyvinyl chloride, Nitrile rubber, NP: neoprene

##### - material thickness

Use gloves with a minimum material thickness:  $\geq 0.38$  mm.

##### - breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

##### - other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

#### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	red
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>280 °C
Evaporation rate	<0.1 (n-butyl acetate = 1)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	LEL: 0.6 vol% UEL: 7 vol%
Flash point	174 °C
Auto-ignition temperature	>240 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	25 - 50 cSt
Solubility(ies)	not determined

Partition coefficient n-octanol/water (log value)	>3
---	----

Vapour pressure	<0.1 hPa at 20 °C
-----------------	-------------------

Density	0.8434 kg/l 0.8424 - 0.8444 kg/l
---------	----------------------------------

Relative vapour density	>1 at 20 °C (air = 1)
-------------------------	-----------------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

#### 9.2 Other information

There is no additional information.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Avoid contact with moisture. Prevent overheating.

#### 10.5 Incompatible materials

Acids, oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Methyl-1H-benzotriazole	29385-43-1	oral	720 mg/kg
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	oral	1,500 mg/kg

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Baseoil-unspecified	72623-87-1	oral	LD50	>5,000 mg/kg	rat
Baseoil-unspecified	72623-87-1	inhalation: dust/ mist	LC50	2.18 mg/l/4h	rat
Baseoil-unspecified	72623-87-1	dermal	LD50	>5,000 mg/kg	rabbit

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	dermal	LD50	>4,000 – <8,000 mg/kg	rabbit
1-(tert-dodecylthio)propan-2-ol	67124-09-8	oral	LD50	>5,000 mg/kg	rat
1-(tert-dodecylthio)propan-2-ol	67124-09-8	dermal	LD50	>2,000 mg/kg	rabbit
Methyl-1H-benzotriazole	29385-43-1	oral	LD50	720 mg/kg	rat
Methyl-1H-benzotriazole	29385-43-1	dermal	LD50	>2,000 mg/kg	rabbit
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	oral	LD50	>2,500 mg/kg	rat
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	dermal	LD50	>2,000 mg/kg	rabbit
C14-18 alpha-olefin epoxide, reaction products with boric acid		oral	LD50	>16,000 mg/kg	rat
C14-18 alpha-olefin epoxide, reaction products with boric acid		dermal	LD50	>2,000 mg/kg	rat
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	oral	LD50	1,500 mg/kg	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Contains N,N-dicocoalkyl 3-amino-propane-1,2-diol, Benzene, polypropene derivs., sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid. May produce an allergic reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### SECTION 12: Ecological information

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Baseoil-unspecified	72623-87-1	LL50	>100 mg/l	fish	96 h
Baseoil-unspecified	72623-87-1	EL50	>10,000 mg/l	aquatic invertebrates	24 h
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	LL50	2.4 mg/l	fish	96 h
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	EC50	4.6 mg/l	aquatic invertebrates	48 h
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	NOELR	1 mg/l	fish	96 h
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	NOEC	0.63 mg/l	aquatic invertebrates	48 h
1-(tert-dodecylthio)propan-2-ol	67124-09-8	LL50	0.75 mg/l	fish	96 h
1-(tert-dodecylthio)propan-2-ol	67124-09-8	EL50	0.58 mg/l	aquatic invertebrates	48 h
1-(tert-dodecylthio)propan-2-ol	67124-09-8	NOELR	0.56 mg/l	fish	96 h
Methyl-1H-benzotriazole	29385-43-1	LC50	240 mg/l	fish	24 h
Methyl-1H-benzotriazole	29385-43-1	EC50	15.8 mg/l	aquatic invertebrates	48 h
Methyl-1H-benzotriazole	29385-43-1	ErC50	75 mg/l	algae	72 h
Methyl-1H-benzotriazole	29385-43-1	NOEC	30 mg/l	fish	96 h
Methyl-1H-benzotriazole	29385-43-1	growth (EbCx) 10%	8.56 mg/l	aquatic invertebrates	48 h
Methyl-1H-benzotriazole	29385-43-1	growth rate (Er-Cx) 10%	1.18 mg/l	algae	72 h
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	EC50	350 mg/l	aquatic invertebrates	24 h
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	ErC50	16 mg/l	algae	72 h
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	NOEC	32 mg/l	aquatic invertebrates	48 h
C14-18 alpha-olefin epoxide, reaction products with boric acid		LL50	>100 mg/l	fish	96 h
C14-18 alpha-olefin epoxide, reaction products with boric acid		EL50	>100 mg/l	aquatic invertebrates	48 h
C14-18 alpha-olefin epoxide, reaction products with boric acid		NOELR	100 mg/l	fish	96 h
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	LC50	>0.29 mg/l	fish	24 h

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	EC50	0.21 mg/l	aquatic invertebrates	24 h
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	ErC50	86.7 µg/l	algae	72 h
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	growth rate (Er-Cx) 10%	34.1 µg/l	algae	72 h
Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Baseoil-unspecified	72623-87-1	NOELR	≥1,000 mg/l	fish	14 d
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	EC50	>10,000 mg/l	microorganisms	3 h
1-(tert-dodecylthio)propan-2-ol	67124-09-8	EL50	0.75 mg/l	aquatic invertebrates	21 d
1-(tert-dodecylthio)propan-2-ol	67124-09-8	EC50	>10,000 mg/l	microorganisms	3 h
1-(tert-dodecylthio)propan-2-ol	67124-09-8	NOELR	0.32 mg/l	aquatic invertebrates	21 d
Methyl-1H-benzotriazole	29385-43-1	LC50	240 mg/l	fish	24 h
Methyl-1H-benzotriazole	29385-43-1	EC50	>37.6 mg/l	aquatic invertebrates	21 d
Methyl-1H-benzotriazole	29385-43-1	NOEC	18.4 mg/l	aquatic invertebrates	21 d
Methyl-1H-benzotriazole	29385-43-1	LOEC	37.6 mg/l	aquatic invertebrates	21 d
Methyl-1H-benzotriazole	29385-43-1	growth (EbCx) 10%	0.97 mg/l	aquatic invertebrates	21 d
C14-18 alpha-olefin epoxide, reaction products with boric acid		LL50	>100 mg/l	fish	33 d
C14-18 alpha-olefin epoxide, reaction products with boric acid		EL50	>100 mg/l	fish	33 d
C14-18 alpha-olefin epoxide, reaction products with boric acid		EC50	>10,000 mg/l	microorganisms	3 h
C14-18 alpha-olefin epoxide, reaction products with boric acid		NOELR	>100 mg/l	fish	33 d
C14-18 alpha-olefin epoxide, reaction products with boric acid		NOEC	1 mg/l	microorganisms	3 h
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	LC50	>0.29 mg/l	fish	24 h
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	EC50	46.3 µg/l	aquatic invertebrates	21 d
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	NOEC	320 µg/l	aquatic invertebrates	21 d
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	growth (EbCx) 10%	10.7 µg/l	aquatic invertebrates	21 d

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### 12.2 Persistence and degradability

Not readily biodegradable.

Degradability of components of the mixture					
Name of substance	CAS No	Process	Degradation rate	Time	Method
Baseoil-unspecified	72623-87-1	oxygen depletion	31 %	28 d	OECD Guideline 301
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	carbon dioxide generation	9.6 %	28 d	
Bis(nonylphenyl)amine	36878-20-3	carbon dioxide generation	1 %	28 d	
1-(tert-dodecylthio)propan-2-ol	67124-09-8	oxygen depletion	5.9 %	28 d	
Methyl-1H-benzotriazole	29385-43-1	oxygen depletion	4 %	28 d	
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5	DOC removal	8.48 %	28 d	
C14-18 alpha-olefin epoxide, reaction products with boric acid		carbon dioxide generation	26.7 %	28 d	
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	carbon dioxide generation	74 %	28 d	
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	DOC removal	88 %	28 d	
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	oxygen depletion	52 %	28 d	

### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

n-octanol/water (log KOW)	>3
---------------------------	----

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich	398141-87-2	31	4.11 (pH value: 7.1, 30 °C)	
Bis(nonylphenyl)amine	36878-20-3	411		
1-(tert-dodecylthio)propan-2-ol	67124-09-8		>4.72 – <6.51 (pH value: 6.9, 20 °C)	
Methyl-1H-benzotriazole	29385-43-1		1.079 – ≤1.083 (25 °C)	
N,N-dicocoalkyl 3-amino-propane-1,2-diol	897393-64-5		4.5 (pH value: 3.3, 40 °C)	
C14-18 alpha-olefin epoxide, reaction products with boric acid			≥6.24 – 9.4 (pH value: 6.6, 40 °C)	
Ethanol, 2,2'-iminobis-, N-(C16-18 and C18-unsatd. alkyl) derivs.	1218787-32-6	20.2	3.6 (25 °C)	



## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### 12.4 Mobility in soil

Insoluble in water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water.

### 12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be a PBT or a vPvB  $\geq$  0.1%.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

- |      |  |   |
|------|--|---|
| 14.1 | <b>UN number</b>   | not subject to transport regulations                                  |
| 14.2 | <b>UN proper shipping name</b>                                 | not relevant  |
| 14.3 | <b>Transport hazard class(es)</b>                              | none  |
| 14.4 | <b>Packing group</b>   | not assigned  |
| 14.5 | <b>Environmental hazards</b>                                   | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | <b>Special precautions for user</b>                            | There is no additional information.                                   |
| 14.7 | <b>Maritime transport in bulk according to IMO instruments</b> | No data available.  |

### Information for each of the UN Model Regulations

#### **International Maritime Dangerous Goods Code (IMDG) - additional information**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR) - additional information**

Not subject to ICAO-IATA.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methyl-1H-benzotriazole	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

##### Legend

A) Indicative list of the main pollutants

##### Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

##### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

##### National regulations (GB)

##### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

##### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction	No
Synmar Alexius IX	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

##### Legend

R3

 1. Shall not be used in:  
 — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  
 — tricks and jokes,  
 — games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### Legend

2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
    - or even sucking the wick of lamps
    - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Alexius IX

Version number: 1.0

Date of compilation: 2022-08-22

### Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.