

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Synmar Coolant Heavy Duty OAT -36 LL**  
 Unique formula identifier (UFI) F720-X0HY-G002-VTV4  
 Article number S500012

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Coolant  
 Professional use

#### 1.3 Details of the supplier of the safety data sheet

Synmar B.V.  
 Albert Schweitzerstraat 7  
 7131 PG Lichtenvoorde  
 Netherlands

Telephone: +31 (0) 33 303 3044  
 e-mail: info@synmar.nl  
 Website: www.synmar.nl

e-mail (competent person) info@synmar.nl

#### 1.4 Emergency telephone number

Emergency information service +31 (0) 33 303 3044  
 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS)	0344-8920111 (medical professionals only)
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.7	reproductive toxicity	1B	Repr. 1B	H360FD
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of H-phrases: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Danger

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### - pictograms

GHS07, GHS08



### - hazard statements

H302 Harmful if swallowed.  
 H360FD May damage fertility. May damage the unborn child.  
 H373 May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

### - precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P330 Rinse mouth.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional labelling requirements

Restricted to professional users.

### - hazardous ingredients for labelling

Contains: disodium tetraborate pentahydrate; ethanediol; sodium nitrite.

## 2.3 Other hazards

There is no additional information.

### Results of PBT and vPvB assessment

 Does not contain any substances that are assessed to be a PBT or a vPvB  $\geq$  0.1%.

### Endocrine disrupting properties

 Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.



## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
ethanediol	CAS No 107-21-1  EC No 203-473-3  Index No 603-027-00-1	50 - < 75	Acute Tox. 4 / H302 STOT RE 2 / H373		
Sodium benzoate	CAS No 532-32-1  EC No 208-534-8	1 - < 2.5	Eye Irrit. 2 / H319		

# Safety Data Sheet






acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
disodium tetraborate pentahydrate	CAS No 12179-04-3  EC No 215-540-4  Index No 005-011-00-4	1 - <2.5	Eye Irrit. 2 / H319 Repr. 1B / H360FD	 	
sodium nitrite	CAS No 7632-00-0  EC No 231-555-9  Index No 007-010-00-4	< 1	Ox. Sol. 3 / H272 Acute Tox. 3 / H301 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400	  	

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
ethanediol	CAS No 107-21-1  EC No 203-473-3	-	-	500 mg/kg	oral
sodium nitrite	CAS No 7632-00-0  EC No 231-555-9	-	-	100 mg/kg	oral

### Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In case of accident or if you feel unwell, seek medical advice immediately (show the label or safety data sheet where possible).

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Induce vomiting when the affected person is not unconscious. Call a POISON CENTER/doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

**Synmar Coolant Heavy Duty OAT -36 LL**

Version number: 1.0

Date of compilation: 2022-08-09

**4.3 Indication of any immediate medical attention and special treatment needed**

For specialist advice physicians should contact the poison centre.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water mist; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>);  
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>).

**5.3 Advice for firefighters**

Keep containers cool with water spray. In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Bunding. Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.). Clean up by means of pumps (use an explosion-proof or hand pump).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Wash contaminated clothing before reuse. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding-stuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- incompatible substances or mixtures  
Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures, UV-radiation/sunlight, frost.

Consideration of other advice

Keep in a cool place. Store in a dry place. Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Keep only in original container.

#### 7.3 Specific end use(s)

There is no additional information.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	ethane-1,2-diol	107-21-1	WEL		10			particle	EH40/2005
GB	ethane-1,2-diol	107-21-1	WEL	20	52	40	104	vap	EH40/2005
GB	disodium tetraborate, anhydrous	1330-43-4	WEL		1				EH40/2005

Notation

particle

as airborne particles

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

vap

as vapours

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethanediol	107-21-1	DNEL	35 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
ethanediol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ethanediol	107-21-1	DNEL	7 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
ethanediol	107-21-1	DNEL	53 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Sodium benzoate	532-32-1	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium benzoate	532-32-1	DNEL	0.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Sodium benzoate	532-32-1	DNEL	62.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium benzoate	532-32-1	DNEL	1.5 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Sodium benzoate	532-32-1	DNEL	0.06 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
Sodium benzoate	532-32-1	DNEL	31.25 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Sodium benzoate	532-32-1	DNEL	16.6 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	6.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	17.04 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	17.04 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	316.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	3.4 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	17.04 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	17.04 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - local effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	159.5 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
disodium tetraborate pentahydrate	12179-04-3	DNEL	0.79 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium nitrite	7632-00-0	DNEL	2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Relevant PNECs of components of the mixture						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	water	intermittent release
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	freshwater	short-term (single instance)
ethanediol	107-21-1	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
ethanediol	107-21-1	PNEC	199.5 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ethanediol	107-21-1	PNEC	37 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
ethanediol	107-21-1	PNEC	3.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
ethanediol	107-21-1	PNEC	1.53 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	305 µg/l	aquatic organisms	water	intermittent release
Sodium benzoate	532-32-1	PNEC	0.13 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	0.013 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	1.76 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	0.176 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sodium benzoate	532-32-1	PNEC	0.06 mg/kg	terrestrial organisms	soil	short-term (single instance)
disodium tetraborate pentahydrate	12179-04-3	PNEC	2.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
disodium tetraborate pentahydrate	12179-04-3	PNEC	2.9 mg/l	aquatic organisms	marine water	short-term (single instance)
disodium tetraborate pentahydrate	12179-04-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
disodium tetraborate pentahydrate	12179-04-3	PNEC	5.7 mg/kg	terrestrial organisms	soil	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.005 mg/l	aquatic organisms	freshwater	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.006 mg/l	aquatic organisms	marine water	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	21 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.019 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sodium nitrite	7632-00-0	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
sodium nitrite	7632-00-0	PNEC	0.001 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection

##### Skin protection



Chemical protective clothing.

##### - hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### - type of material

PVA: polyvinyl alcohol, Nitrile rubber, Butyl rubber

##### - material thickness

Use gloves with a minimum material thickness:  $\geq 0.38$  mm.

##### - breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

##### - other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

#### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.



## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	red
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	not determined
Auto-ignition temperature	412 °C (auto-ignition temperature (liquids and gases)) calculated value, referring to a component of the mixture
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	not determined

#### Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	100 Pa at 51.1 °C calculated value, referring to a component of the mixture
-----------------	--

Density	not determined
---------	----------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

#### 9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	---

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### Other safety characteristics

Miscibility	Completely miscible with water.
-------------	---------------------------------

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

##### Acute toxicity

Harmful if swallowed.

##### - acute toxicity estimate (ATE)

Exposure route	ATE
Oral	952.4 mg/kg

##### - acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
ethanediol	107-21-1	oral	500 mg/kg
sodium nitrite	7632-00-0	oral	100 mg/kg

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
ethanediol	107-21-1	oral	LD50	7,712 mg/kg	rat
ethanediol	107-21-1	dermal	LD50	>3,500 mg/kg	mouse
Sodium benzoate	532-32-1	inhalation: dust/ mist	LC50	>12,200 mg/m <sup>3</sup> / 4h	rat
Sodium benzoate	532-32-1	dermal	LD50	>2,000 mg/kg	rabbit
disodium tetraborate pentahydrate	12179-04-3	oral	LD50	>2,500 mg/kg	rat
disodium tetraborate pentahydrate	12179-04-3	inhalation: dust/ mist	LC50	>2.04 mg/l/4h	rat
disodium tetraborate pentahydrate	12179-04-3	dermal	LD50	>2,000 mg/kg	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

May damage the unborn child. May damage fertility.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	kidney	if swallowed

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

 Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanediol	107-21-1	LC50	>72,860 mg/l	fish	96 h
ethanediol	107-21-1	EC50	>100 mg/l	aquatic invertebrates	48 h
ethanediol	107-21-1	ErC50	<13,000 mg/l	algae	96 h
ethanediol	107-21-1	NOEC	>100 mg/l	algae	72 h
Sodium benzoate	532-32-1	LC50	484 mg/l	fish	96 h
Sodium benzoate	532-32-1	ErC50	>30.5 mg/l	algae	72 h
Sodium benzoate	532-32-1	NOEC	392.5 mg/l	fish	96 h
Sodium benzoate	532-32-1	growth rate (Er-Cx) 10%	6.5 mg/l	algae	72 h
sodium nitrite	7632-00-0	LC50	26.3 mg/l	fish	96 h
sodium nitrite	7632-00-0	EC50	15.4 mg/l	aquatic invertebrates	48 h
sodium nitrite	7632-00-0	ErC50	>100 mg/l	algae	72 h
sodium nitrite	7632-00-0	NOEC	100 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanediol	107-21-1	LC50	>1,500 mg/l	fish	28 d
ethanediol	107-21-1	EC50	>15,000 mg/l	aquatic invertebrates	21 d
ethanediol	107-21-1	NOEC	≥1,000 mg/l	aquatic invertebrates	23 d
ethanediol	107-21-1	growth (EbCx) 20%	>1,995 mg/l	microorganisms	30 min
Sodium benzoate	532-32-1	LC50	1,500 mg/l	fish	24 h
Sodium benzoate	532-32-1	NOEC	10 mg/l	fish	144 h
Sodium benzoate	532-32-1	LOEC	100 mg/l	fish	144 h
sodium nitrite	7632-00-0	EC50	114.9 mg/l	aquatic invertebrates	80 d
sodium nitrite	7632-00-0	LC50	>95.6 mg/l	aquatic invertebrates	80 d
sodium nitrite	7632-00-0	NOEC	21 mg/l	fish	29 d
sodium nitrite	7632-00-0	growth (EbCx) 10%	210 mg/l	microorganisms	180 min

#### 12.2 Persistence and degradability

Data are not available.

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Degradability of components of the mixture					
Name of substance	CAS No	Process	Degradation rate	Time	Method
ethanediol	107-21-1	DOC removal	90 – 100 %	10 d	
Sodium benzoate	532-32-1	carbon dioxide generation	88 %	28 d	

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
ethanediol	107-21-1		-1.36	
Sodium benzoate	532-32-1		1.88	
disodium tetraborate pentahydrate	12179-04-3		-1.53 (pH value: 7.5, 22 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be a PBT or a vPvB  $\geq$  0.1%.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available.

### Information for each of the UN Model Regulations

#### International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
sodium nitrite	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
sodium nitrite	Metals and their compounds		a)	
disodium tetraborate pentahydrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
disodium tetraborate pentahydrate	Metals and their compounds		a)	

#### Legend

A) Indicative list of the main pollutants

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### National regulations (GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE			
Name of substance	CAS No	Listed in	Remarks
disodium tetraborate pentahydrate	1330-43-4	Candidate list	Repr. A57c

#### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (Article 57c)

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction	No
Synmar Coolant Heavy Duty OAT -36 LL	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
disodium tetraborate pentahydrate	toxic for reproduction		R28-30	30

#### Legend

R28-30

Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:

- Shall not be placed on the market, or used,
  - as substances,
  - as constituents of other substances, or,
  - in mixtures,

For supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in the GB mandatory classification and labelling list, or, the relevant generic concentration limit specified in the GB mandatory classification and labelling list.

Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:

- medicinal or veterinary products as defined by the Veterinary Regulations 2013 and the Human Medicines Regulations 2012;
- cosmetic products as defined by Regulation 1223/2009;
- the following fuels and oil products:
  - motor fuels which are covered by the Motor Fuel (Composition and Content) Regulations 1999,
  - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
  - fuels sold in closed systems (e.g. liquid gas bottles);
  - (d) artists' paints covered by Regulation (EC) No 1272/2008;
  - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### Legend

R3

1. Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
    - or even sucking the wick of lamps
    - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Coolant Heavy Duty OAT -36 LL

Version number: 1.0

Date of compilation: 2022-08-09

### Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.