

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	<b>Synmar Screenwash Concentrate</b>
Unique formula identifier (UFI)	XR20-Y0PC-A001-UVCH
Article number	S500500

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Anti-freeze product De-icing product Professional use Consumer use
--------------------------	---

#### 1.3 Details of the supplier of the safety data sheet

Synmar B.V.  
 Albert Schweitzerstraat 7  
 7131 PG Lichtenvoorde  
 Netherlands

Telephone: +31 (0) 33 303 3044  
 e-mail: info@synmar.nl  
 Website: www.synmar.nl

e-mail (competent person) info@synmar.nl

#### 1.4 Emergency telephone number

Emergency information service	+31 (0) 33 303 3044 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00
-------------------------------	---

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS)	0344-8920111 (medical professionals only)
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of H-phrases: see SECTION 16

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### 2.2 Label elements

Labelling (acc. to GB CLP)

- signal word                      Warning

- pictograms

GHS02, GHS07



- hazard statements

H226                                  Flammable liquid and vapour.

H319                                  Causes serious eye irritation.

- precautionary statements

P101                                  If medical advice is needed, have product container or label at hand.

P102                                  Keep out of reach of children.

P210                                  Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353                IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338                IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313                         If eye irritation persists: Get medical advice/attention.

P403+P235                         Store in a well-ventilated place. Keep cool.

P501                                  Dispose of contents/container in accordance with local/regional/national/international regulations.

- supplemental hazard information

EUH066      Repeated exposure may cause skin dryness or cracking.

### 2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

 Does not contain any substances that are assessed to be PBT or vPvB  $\geq$  0.1%.

Endocrine disrupting properties

 Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.


## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5  EC No 200-578-6  Index No 603-002-00-5	< 70	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		

# Safety Data Sheet





acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
ethanediol	CAS No 107-21-1  EC No 203-473-3  Index No 603-027-00-1	< 2.5	Acute Tox. 4 / H302 STOT RE 2 / H373	 	
methyl ethyl ketone	CAS No 78-93-3  EC No 201-159-0  Index No 606-002-00-3	< 1.5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336 EUH066	 	

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ethanol	CAS No 64-17-5  EC No 200-578-6	Eye Irrit. 2; H319: C ≥ 50 %	-	-	
ethanediol	CAS No 107-21-1  EC No 203-473-3	-	-	500 mg/kg	oral

### Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Let water be drunk in little sips (dilution effect). Call a doctor if you feel unwell.

**Synmar Screenwash Concentrate**

Version number: 1.0

Date of compilation: 2022-12-01

**4.2 Most important symptoms and effects, both acute and delayed**

## If inhaled

May cause respiratory irritation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## If on skin

Irritating.

## If in eyes

Causes eye irritation, redness, pain.

## If swallowed

Irritation of the gastrointestinal tract, nausea, vomiting, diarrhoea.

**4.3 Indication of any immediate medical attention and special treatment needed**

For specialist advice physicians should contact the poison centre.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

## Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>); Co-ordinate firefighting measures to the fire surroundings.

## Unsuitable extinguishing media

Water jet.

**5.2 Special hazards arising from the substance or mixture**

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

## Hazardous combustion products

During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>).

**5.3 Advice for firefighters**

Keep containers cool with water spray. In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

## For non-emergency personnel

Remove persons to safety. Ventilate affected area.

## For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

## Advice on how to contain a spill

Bunding. Covering of drains.

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Non-combustible absorbent materials.

### Appropriate containment techniques

Use of adsorbent materials.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

#### - measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

#### - specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

#### - explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

#### - flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

#### - incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

#### Control of effects

#### Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

#### Consideration of other advice

Store in a dry place. Keep in a cool place. Store in a well-ventilated place. Keep container tightly closed.

#### - ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### - packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

There is no additional information.

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	ethane-1,2-diol	107-21-1	WEL		10			particle	EH40/2005
GB	ethane-1,2-diol	107-21-1	WEL	20	52	40	104	vap	EH40/2005
GB	ethanol	64-17-5	WEL	1,000	1,920				EH40/2005
GB	butan-2-one (methyl ethyl ketone)	78-93-3	WEL	200	600	300	899		EH40/2005

##### Notation

particle

as airborne particles

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

vap

as vapours

##### Biological limit values

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	butan-2-one	ethyl methyl ketone		BMGV	70 µmol/l	EH40/2005

##### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethanol	64-17-5	DNEL	1,900 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	343 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	114 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	DNEL	206 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	DNEL	87 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
ethanediol	107-21-1	DNEL	35 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
ethanediol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethanediol	107-21-1	DNEL	7 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
ethanediol	107-21-1	DNEL	53 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
methyl ethyl ketone	78-93-3	DNEL	600 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
methyl ethyl ketone	78-93-3	DNEL	900 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
methyl ethyl ketone	78-93-3	DNEL	1,161 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methyl ethyl ketone	78-93-3	DNEL	106 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
methyl ethyl ketone	78-93-3	DNEL	450 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
methyl ethyl ketone	78-93-3	DNEL	412 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
methyl ethyl ketone	78-93-3	DNEL	31 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Ethanol	64-17-5	PNEC	2.75 mg/l	aquatic organisms	water	intermittent release
Ethanol	64-17-5	PNEC	0.96 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethanol	64-17-5	PNEC	0.79 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethanol	64-17-5	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethanol	64-17-5	PNEC	3.6 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethanol	64-17-5	PNEC	2.9 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethanol	64-17-5	PNEC	0.63 mg/kg	terrestrial organisms	soil	short-term (single instance)
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	water	intermittent release
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	freshwater	short-term (single instance)
ethanediol	107-21-1	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
ethanediol	107-21-1	PNEC	199.5 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ethanediol	107-21-1	PNEC	37 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
ethanediol	107-21-1	PNEC	3.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
ethanediol	107-21-1	PNEC	1.53 mg/kg	terrestrial organisms	soil	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	709 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	284.7 mg/kg	benthic organisms	sediments	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	284.7 mg/kg	pelagic organisms	sediments	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	1,000 mg/kg	(top) predators	water	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	water	intermittent release
methyl ethyl ketone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	marine water	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	709 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	284.7 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	284.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
methyl ethyl ketone	78-93-3	PNEC	22.5 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection

##### Skin protection



Chemical protective clothing.

##### - hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

- type of material  
Nitrile rubber, PVA: polyvinyl alcohol, NP: neoprene
- material thickness  
Use gloves with a minimum material thickness:  $\geq 0.38$  mm.
- breakthrough time of the glove material  
Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).
- other protection measures  
Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	alcohol
Melting point/freezing point	-50 °C
Boiling point or initial boiling point and boiling range	64.7 °C at 1,013 hPa calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	LEL: 1.8 vol% / UEL: 13.5 vol% calculated value, referring to a component of the mixture
Flash point	24 °C
Auto-ignition temperature	404 °C (auto-ignition temperature (liquids and gases)) calculated value, referring to a component of the mixture
Decomposition temperature	no data available
pH (value)	7 (neutral)
Kinematic viscosity	not determined

**Synmar Screenwash Concentrate**

Version number: 1.0

Date of compilation: 2022-12-01

**Solubility(ies)**

Water solubility	miscible in any proportion
Solubility in acetone	soluble
Solubility in ethanol	soluble

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	169.3 hPa at 25 °C calculated value, referring to a component of the mixture
-----------------	---

Density	not determined
---------	----------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

**9.2 Other information**

There is no additional information.

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

**Other safety characteristics**

Miscibility	Completely miscible with water.
-------------	---------------------------------

**SECTION 10: Stability and reactivity****10.1 Reactivity**

The mixture contains reactive substance(s).

If heated:

Risk of ignition.

**10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

**10.5 Incompatible materials**

Acids, oxidisers.

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
ethanediol	107-21-1	oral	500 mg/kg

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	oral	LD50	10,470 mg/kg	rat
Ethanol	64-17-5	inhalation: vapour	LC50	124.7 mg/l/4h	rat
ethanediol	107-21-1	oral	LD50	7,712 mg/kg	rat
ethanediol	107-21-1	dermal	LD50	>3,500 mg/kg	mouse
methyl ethyl ketone	78-93-3	oral	LD50	2,054 mg/kg	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	15,400 mg/l	fish	96 h
Ethanol	64-17-5	EC50	12,700 mg/l	fish	96 h
Ethanol	64-17-5	ErC50	22,000 mg/l	algae	96 h
ethanediol	107-21-1	LC50	>72,860 mg/l	fish	96 h
ethanediol	107-21-1	EC50	>100 mg/l	aquatic invertebrates	48 h
ethanediol	107-21-1	ErC50	<13,000 mg/l	algae	96 h
ethanediol	107-21-1	NOEC	>100 mg/l	algae	72 h
methyl ethyl ketone	78-93-3	LC50	2,973 mg/l	fish	96 h
methyl ethyl ketone	78-93-3	EC50	308 mg/l	aquatic invertebrates	48 h
methyl ethyl ketone	78-93-3	ErC50	1,220 mg/l	algae	72 h
methyl ethyl ketone	78-93-3	NOAEC	1,240 mg/l	algae	96 h
methyl ethyl ketone	78-93-3	NOEC	1,170 mg/l	fish	96 h
methyl ethyl ketone	78-93-3	growth rate (Er-Cx) 10%	1,050 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	EC50	22.6 g/l	algae	10 d
Ethanol	64-17-5	LC50	1,806 mg/l	aquatic invertebrates	10 d
Ethanol	64-17-5	ErC50	675 mg/l	algae	4 d
Ethanol	64-17-5	NOEC	250 mg/l	fish	120 h
Ethanol	64-17-5	growth rate (Er-Cx) 10%	86 mg/l	algae	4 d
ethanediol	107-21-1	LC50	>1,500 mg/l	fish	28 d

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanediol	107-21-1	EC50	>15,000 mg/l	aquatic invertebrates	21 d
ethanediol	107-21-1	NOEC	≥1,000 mg/l	aquatic invertebrates	23 d
ethanediol	107-21-1	growth (EbCx) 20%	>1,995 mg/l	microorganisms	30 min
methyl ethyl ketone	78-93-3	LC50	1,816 mg/l	fish	24 h
methyl ethyl ketone	78-93-3	EC50	>345 mg/l	aquatic invertebrates	24 h
methyl ethyl ketone	78-93-3	ErC50	1,901 mg/l	algae	24 h

### Biodegradation

The relevant substances of the mixture are readily biodegradable.

### 12.2 Persistence and degradability

Readily biodegradable.

### 12.3 Bioaccumulative potential

The product is not bioaccumulating.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or vPvB ≥ 0.1%.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Waste treatment-relevant information

Solvent reclamation/regeneration.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID	UN 1987
IMDG-Code	UN 1987
ICAO-TI	UN 1987

#### 14.2 UN proper shipping name

ADR/RID	ALCOHOLS, N.O.S.
IMDG-Code	ALCOHOLS, N.O.S.
ICAO-TI	Alcohols, n.o.s.
Technical name (Hazardous ingredients)	Ethanol, methyl ethyl ketone

#### 14.3 Transport hazard class(es)

ADR/RID	3
IMDG-Code	3
ICAO-TI	3

#### 14.4 Packing group

ADR/RID	III
IMDG-Code	III
ICAO-TI	III

#### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available.

### Information for each of the UN Model Regulations

#### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - additional information

Classification code	F1
Danger label(s)	3



Special provisions (SP)	274, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - additional information

Classification code F1  
Danger label(s) 3



Special provisions (SP) 274, 601  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 5 L  
Transport category (TC) 3  
Hazard identification No 30

### International Maritime Dangerous Goods Code (IMDG) - additional information

Marine pollutant -  
Danger label(s) 3



Special provisions (SP) 223, 274  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 5 L  
EmS F-E, S-D  
Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Danger label(s) 3



Special provisions (SP) A3, A180  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 10 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

#### Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

#### Legend

A) Indicative list of the main pollutants

### Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### National regulations (GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

#### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction	No
Synmar Screenwash Concentrate	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40
methyl ethyl ketone	flammable / pyrophoric		R40	40

#### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
- Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
    - or even sucking the wick of lamps
    - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as



## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

### Legend

- follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';  
 (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.  
 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopee' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  2. Without prejudice to the application of other legislation on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
 'For professional users only'.
  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (\*\*\*)
  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.  
 (\*\*\*) OJ L 147, 9.6.1975, p. 40.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Abbr.	Descriptions of used abbreviations
Flam. Liq.	Flammable liquid
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
NOAEC	No Observed Adverse Effect Concentration
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

## Synmar Screenwash Concentrate

Version number: 1.0

Date of compilation: 2022-12-01

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.