

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	<b>Synmar Steering D</b>
Registration number (REACH)	Not relevant (mixture)
Article number	S400801

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Transmission oil Professional uses Consumer uses
--------------------------	--

#### 1.3 Details of the supplier of the safety data sheet

Synmar B.V.  
Albert Schweitzerstraat 7  
7131 PG Lichtenvoorde  
Netherlands

Telephone: +31 (0) 33 303 3044  
e-mail: info@synmar.nl  
Website: www.synmar.nl

e-mail (competent person) info@synmar.nl

#### 1.4 Emergency telephone number

Emergency information service	+31 (0) 33 303 3044 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00
-------------------------------	---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Code	Supplemental hazard information
EUH208	contains Amines, C12-14-tert-alkyl, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction
EUH210	safety data sheet available for professional user on request

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word Not required.

- pictograms Not required.

- supplemental hazard information

EUH208 Contains Amines, C12-14-tert-alkyl, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available for professional user on request.

#### 2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23










### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Very highly refined mineral oil (mixture)		15 – 30	Asp. Tox. 1 / H304		L(b)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	CAS No 68584-23-6  EC No 271-529-4	< 10	Skin Sens. 1B / H317		
Sulfonic acids, petroleum, calcium salts	CAS No 61789-86-4  EC No 263-093-9	< 10	Skin Sens. 1B / H317		
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	CAS No 72676-55-2  EC No 276-763-0	< 1	Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	 	
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	CAS No 70024-69-0  EC No 274-263-7	< 1	Skin Sens. 1B / H317		
Amines, C12-14-tert-alkyl	CAS No 68955-53-3  EC No 273-279-1	< 1	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	   	

#### Notes

L(b): The classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Sulfonic acids, petroleum, calcium salts	CAS No 61789-86-4  EC No 263-093-9	Skin Sens. 1B; H317: C ≥ 10 %	-	-	
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	CAS No 68584-23-6  EC No 271-529-4	Skin Sens. 1B; H317: C ≥ 10 %	-	-	

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Name of sub-stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Amines, C12-14-tert-alkyl	CAS No 68955-53-3  EC No 273-279-1	-	-	500 mg/kg 300 mg/kg 0.5 mg/l/4h	oral dermal inhalation: vapour

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.  
 Very highly refined mineral oil (mixture) may contain one or more of the following (CAS number, EC number, REACH registration number): 101316-70-5, 309-875-6; 101316-71-6, 309-876-1; 101316-72-7, 309-877-7, 01-2119489969-06; 64741-88-4, 265-090-8, 01-2119488706-23; 64741-89-5, 265-091-3, 01-119487067-30; 64741-95-3, 265-096-0, 01-2119487081-40; 64741-96-4, 265-097-6, 01-2119483621-38; 64742-01-4, 265-101-6, 01-2119488707-21; 64742-45-6, 265-147-7; 64742-52-5, 265-155-0, 01-2119467170-45; 64742-53-6, 265-156-6, 01-2119480375-34; 64742-54-7, 265-157-1, 01-2119484627-25; 64742-56-9, 265-159-2, 01-2119480132-48; 64742-57-0, 265-160-8, 01-2119489287-22; 64741-88-4, 265-090-8, 01-2119488706-23; 64742-62-7, 265-166-0, 01-2119480472-38; 64742-65-0, 265-169-7, 01-2119471299-27; 64742-70-7, 265-174-4, 01-2119487080-42; 68037-01-4, 500-183-1, 01-2119486452-34; 111-66-0, 203-893-7, 01-2119486877-14 / 01-2119409094-47; 70693-43-5, 813-310-3; 72623-85-9, 276-736-3, 01-2119555262-43; 72623-86-0, 276-737-9, 01-2119474878-16; 72623-87-1, 276-738-4, 01-2119474889-13; 74869-22-0, 278-012-2, 01-2119495601-36; 8042-47-5, 232-455-8, 01-2119487078-27.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

##### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

##### Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

##### Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do not induce vomiting unless directed by medical personnel. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### If inhaled

Irritation.

##### If on skin

Defatting or cracking of the skin, skin dryness, irritation. May cause an allergic skin reaction.

##### If in eyes

Redness, irritation.

##### If swallowed

Gastrointestinal complaints.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

**Synmar Steering D**

Version number: 1.1

Date of compilation: 2022-03-23

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water mist; Foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>);  
Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

**5.2 Special hazards arising from the substance or mixture**

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>), sulphur oxides (SO<sub>x</sub>), metal oxides.**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Absorb the spillage with an inert, dry material.

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- incompatible substances or mixtures  
Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a dry place. Keep in a cool place. Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

There is no additional information.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**National limit values**

No information available.

**Relevant DNELs/DMELs/PNECs and other threshold levels**

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Very highly refined mineral oil (mixture)		DNEL	0.97 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Very highly refined mineral oil (mixture)		DNEL	2.73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	11.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	2.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	1.667 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	0.833 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	11.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	2.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	1.667 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	0.833 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	DNEL	3.29 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	DNEL	0.93 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	DNEL	0.56 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	DNEL	0.33 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	DNEL	0.17 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	11.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	2.9 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	1.667 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	0.833 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	10 mg/l	aquatic organisms	water	intermittent release
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	10 mg/l	aquatic organisms	water	intermittent release
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0.31 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0.039 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0.004 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	PNEC	0.006 mg/kg	terrestrial organisms	soil	short-term (single instance)

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection (EN 166).

##### Skin protection



Protective clothing (EN 340 & EN ISO 13688).

##### - hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### - type of material

Nitrile rubber

##### - material thickness

Use gloves with a minimum material thickness:  $\geq 0.38$  mm.

##### - breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >10 minutes (permeation: level 1).

##### - other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.



## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	red
Odour	characteristic
Melting point/freezing point	<35 °C
Boiling point or initial boiling point and boiling range	>300 °C
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	>180 °C
Auto-ignition temperature	not determined
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	37 cSt at 40 °C

### Solubility(ies)

Water solubility	insoluble
------------------	-----------

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density	0.84 g/cm <sup>3</sup> at 15 °C
---------	---------------------------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Amines, C12-14-tert-alkyl	68955-53-3	oral	500 mg/kg
Amines, C12-14-tert-alkyl	68955-53-3	dermal	300 mg/kg
Amines, C12-14-tert-alkyl	68955-53-3	inhalation: vapour	0.5 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sulfonic acids, petroleum, calcium salts	61789-86-4	oral	LD50	>16,000 mg/kg	rat
Sulfonic acids, petroleum, calcium salts	61789-86-4	inhalation: dust/ mist	LC50	>1.9 mg/l/4h	rat

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sulfonic acids, petroleum, calcium salts	61789-86-4	dermal	LD50	>5,000 mg/kg	rabbit
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	oral	LD50	>16,000 mg/kg	rat
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	inhalation: dust/mist	LC50	>1.9 mg/4h	rat
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	dermal	LD50	>5,000 mg/kg	rabbit
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	dermal	LD50	>2,000 mg/kg	rabbit
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	oral	LD50	>16,000 mg/kg	rat
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	inhalation: dust/mist	LC50	>1.9 mg/4h	rat
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	dermal	LD50	>4,000 mg/kg	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Contains Amines, C12-14-tert-alkyl, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulfonic acids, petroleum, calcium salts	61789-86-4	LL50	>10,000 mg/l	fish	96 h
Sulfonic acids, petroleum, calcium salts	61789-86-4	EC50	>1,000 mg/l	aquatic invertebrates	48 h
Sulfonic acids, petroleum, calcium salts	61789-86-4	ErC50	>1,000 mg/l	algae	72 h
Sulfonic acids, petroleum, calcium salts	61789-86-4	NOEC	1,000 mg/l	algae	72 h
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	LL50	>10,000 mg/l	fish	96 h
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	EC50	>1,000 mg/l	aquatic invertebrates	48 h
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	ErC50	>1,000 mg/l	algae	72 h
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	NOEC	1,000 mg/l	algae	72 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	EC50	>454 mg/l	fish	96 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	ErC50	20 mg/l	algae	72 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	NOEC	≥454 mg/l	fish	96 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	LOEC	6.1 mg/l	aquatic invertebrates	48 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	growth rate (Er-Cx) 10%	9.4 mg/l	algae	72 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	LL50	>10,000 mg/l	fish	96 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	EC50	>1,000 mg/l	aquatic invertebrates	48 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	ErC50	>1,000 mg/l	algae	72 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	NOEC	1,000 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulfonic acids, petroleum, calcium salts	61789-86-4	EC50	>10,000 mg/l	microorganisms	3 h
Sulfonic acids, petroleum, calcium salts	61789-86-4	NOAEC	10,000 mg/l	microorganisms	3 h

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	EC50	>10,000 mg/l	microorganisms	3 h
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	NOAEC	10,000 mg/l	microorganisms	3 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	NOEC	1 mg/l	microorganisms	3 h
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	72676-55-2	growth (EbCx) 10%	3.1 mg/l	microorganisms	3 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	EC50	>10,000 mg/l	microorganisms	3 h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	NOAEC	10,000 mg/l	microorganisms	3 h

### 12.2 Persistence and degradability

Expected to be inherently biodegradable.

### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

### 12.4 Mobility in soil

Insoluble in water.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

This product floats on water and may affect the oxygen-balance in the water.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### SECTION 14: Transport information

- 14.1 UN number or ID number** not assigned
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** not assigned
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
Provisions for dangerous goods (ADR) should be complied within the premises.
- 14.7 Maritime transport in bulk according to IMO instruments**  
No data available.

### Information for each of the UN Model Regulations

#### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - additional information

not assigned

#### International Maritime Dangerous Goods Code (IMDG) - additional information

not assigned

#### International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

not assigned

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

Name	Name acc. to inventory	Restriction	No
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	substances in tattoo inks and permanent make-up	R75	75
Sulfonic acids, petroleum, calcium salts	substances in tattoo inks and permanent make-up	R75	75
Very highly refined mineral oil (mixture)	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Amines, C12-14-tert-alkyl	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Amines, C12-14-tert-alkyl	substances in tattoo inks and permanent make-up	R75	75
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	substances in tattoo inks and permanent make-up	R75	75
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	substances in tattoo inks and permanent make-up	R75	75

#### Legend

R3 1. Shall not be used in:

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### Legend

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
    - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
    - (ii) 0,01 % by weight, in all other cases;
  - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
    - (i) "Rinse-off products";
    - (ii) "Not to be used in products applied on mucous membranes";
    - (iii) "Not to be used in eye products";
  - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
  - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
- (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
  - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
- (a) the statement "Mixture for use in tattoos or permanent make-up";
  - (b) a reference number to uniquely identify the batch;
  - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
  - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
  - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
  - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
  - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
- The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
- Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
- Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.



## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

### Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	Details of the supplier of the safety data sheet: Synmar B.V. Hogeweg 210 3815 LZ Amersfoort Netherlands  Telephone: +31 (0) 33 303 3044 e-mail: info@synmar.nl Website: www.synmar.nl	Details of the supplier of the safety data sheet: Synmar B.V. Albert Schweitzerstraat 7 7131 PG Lichtenvoorde Netherlands  Telephone: +31 (0) 33 303 3044 e-mail: info@synmar.nl Website: www.synmar.nl
16		Abbreviations and acronyms: change in the listing (table)
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Abbreviations and acronyms

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
LOEC	Lowest Observed Effect Concentration
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
NOAEC	No Observed Adverse Effect Concentration
NOEC	No Observed Effect Concentration

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Synmar Steering D

Version number: 1.1

Date of compilation: 2022-03-23

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.