

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	<b>Synmar Screenwash Ready To Use -20</b>
Unique formula identifier (UFI)	C850-N0PV-600D-1S8D
Article number	S500501

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial use Professional use Consumer use Screenwash Detergent
--------------------------	---

#### 1.3 Details of the supplier of the safety data sheet

Synmar B.V.  
Albert Schweitzerstraat 7  
7131 PG Lichtenvoorde  
Netherlands

Telephone: +31 (0) 33 303 3044  
e-mail: info@synmar.nl  
Website: www.synmar.nl

e-mail (competent person) info@synmar.nl

#### 1.4 Emergency telephone number

Emergency information service	+31 (0) 33 303 3044 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00
-------------------------------	---

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS)	0344-8920111 (medical professionals only)
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of H-phrases: see SECTION 16



# Safety Data Sheet









acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Remarks
ethanediol	CAS No 107-21-1  EC No 203-473-3  Index No 603-027-00-1	> 3	Acute Tox. 4 / H302 STOT RE 2 / H373	 	WEL	
Ethanol	CAS No 64-17-5  EC No 200-578-6  Index No 603-002-00-5	< 62	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	 		
Butanone	CAS No 78-93-3  EC No 201-159-0  Index No 606-002-00-3	0.33 - 1.36	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336 EUH066	 		
propan-2-ol	CAS No 67-63-0  EC No 200-661-7  Index No 603-117-00-0	0.33 - 1.36	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 		

### Notes

WEL: Substance with a workplace exposure limit

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
ethanediol	CAS No 107-21-1  EC No 203-473-3	-	-	500 mg/kg	oral
Ethanol	CAS No 64-17-5  EC No 200-578-6	Eye Irrit. 2; H319: C ≥ 50 %	-	-	

### Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

**Synmar Screenwash Ready To Use -20**

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

**Following inhalation**

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

**Following skin contact**

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

**Following eye contact**

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

**Following ingestion**

Rinse mouth with water (only if the person is conscious). Induce vomiting when the affected person is not unconscious. Call a POISON CENTER/doctor. Call a POISON CENTER or doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

For specialist advice physicians should contact the poison centre.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water mist; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>);  
Co-ordinate firefighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Water jet.

**5.2 Special hazards arising from the substance or mixture**

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

**Hazardous combustion products**

During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>).

**5.3 Advice for firefighters**

Keep containers cool with water spray. In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**Special protective equipment for firefighters**

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Remove persons to safety. Ventilate affected area. Keep away from sources of ignition - No smoking.

**For emergency responders**

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up****Advice on how to contain a spill**

Covering of drains.

**Synmar Screenwash Ready To Use -20**

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

**Advice on how to clean up a spill**

Absorb with liquid-binding material (sand, diatomite, diatomaceous earth, acid binder, universal binder, sawdust).

**Appropriate containment techniques**

Use of adsorbent materials.

**Other information relating to spills and releases**

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Recommendations****- measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

**- specific notes/details**

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

**Advice on general occupational hygiene**

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities****Managing of associated risks****- explosive atmospheres**

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

**- flammability hazards**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

**- incompatible substances or mixtures**

Oxidising substances, acids.

**Control of effects****Protect against external exposure, such as**

High temperatures, UV-radiation/sunlight

**Consideration of other advice**

Store in a well-ventilated place. Keep container tightly closed.

**- ventilation requirements**

Use local and general ventilation. Ground/bond container and receiving equipment.

**- packaging compatibilities**

Keep only in original container.

**7.3 Specific end use(s)**

See section 1.2.

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
GB	ethane-1,2-diol	107-21-1	WEL		10			H, particle	EH40/2005
GB	ethane-1,2-diol	107-21-1	WEL	20	52	40	104	vap	EH40/2005
GB	ethanol	64-17-5	WEL	1,000	1,920				EH40/2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250		EH40/2005
GB	butan-2-one (methyl ethyl ketone)	78-93-3	WEL	200	600	300	899	H	EH40/2005

##### Notation

H absorbed through the skin

particle as airborne particles

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

vap as vapours

##### Biological limit values

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	butan-2-one	butan-2-one		BMGV	70 µmol/l	EH40/2005

##### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethanediol	107-21-1	DNEL	35 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
ethanediol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ethanediol	107-21-1	DNEL	7 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - local effects
ethanediol	107-21-1	DNEL	53 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	DNEL	380 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	114 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Ethanol	64-17-5	DNEL	400 mg/kg	human, dermal	worker (industry)	chronic - systemic

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			bw/day			effects
Butanone	78-93-3	DNEL	600 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Butanone	78-93-3	DNEL	900 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Butanone	78-93-3	DNEL	1,161 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Butanone	78-93-3	DNEL	106 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
Butanone	78-93-3	DNEL	450 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
Butanone	78-93-3	DNEL	412 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
Butanone	78-93-3	DNEL	31 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	1,000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	89 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	178 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	acute - systemic effects
propan-2-ol	67-63-0	DNEL	319 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	26 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	51 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	water	intermittent release
ethanediol	107-21-1	PNEC	10 mg/l	aquatic organisms	freshwater	short-term (single instance)
ethanediol	107-21-1	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
ethanediol	107-21-1	PNEC	199.5 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ethanediol	107-21-1	PNEC	37 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
ethanediol	107-21-1	PNEC	3.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
						instance)
ethanediol	107-21-1	PNEC	1.53 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethanol	64-17-5	PNEC	0.96 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethanol	64-17-5	PNEC	0.79 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethanol	64-17-5	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethanol	64-17-5	PNEC	3.6 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethanol	64-17-5	PNEC	2.9 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethanol	64-17-5	PNEC	0.63 mg/kg	terrestrial organisms	soil	short-term (single instance)
Butanone	78-93-3	PNEC	709 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Butanone	78-93-3	PNEC	284.7 mg/kg	benthic organisms	sediments	short-term (single instance)
Butanone	78-93-3	PNEC	284.7 mg/kg	pelagic organisms	sediments	short-term (single instance)
Butanone	78-93-3	PNEC	1,000 mg/kg	(top) predators	water	short-term (single instance)
Butanone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	water	intermittent release
Butanone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
Butanone	78-93-3	PNEC	55.8 mg/l	aquatic organisms	marine water	short-term (single instance)
Butanone	78-93-3	PNEC	709 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Butanone	78-93-3	PNEC	284.7 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Butanone	78-93-3	PNEC	284.7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Butanone	78-93-3	PNEC	22.5 mg/kg	terrestrial organisms	soil	short-term (single instance)
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	freshwater	intermittent release
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	marine water	intermittent release
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	water	short-term (single instance)
propan-2-ol	67-63-0	PNEC	2,251 mg/l	aquatic organisms	sewage treatment plant (STP)	intermittent release
propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	freshwater sediment	intermittent release
propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	marine sediment	intermittent release
propan-2-ol	67-63-0	PNEC	28 mg/kg	terrestrial organisms	soil	intermittent release

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
propan-2-ol	67-63-0	PNEC	160 mg/kg	(top) predators	water	intermittent release
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	water	intermittent release
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	marine water	short-term (single instance)
propan-2-ol	67-63-0	PNEC	2,251 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
propan-2-ol	67-63-0	PNEC	28 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection

##### Skin protection



Chemical protective clothing.

##### Hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### - type of material

PVA: polyvinyl alcohol, Nitrile rubber, NP: neoprene

##### - material thickness

Use gloves with a minimum material thickness:  $\geq 0.38$  mm.

##### - breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

##### - other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask (DIN EN 136). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	alcohol
Melting point/freezing point	-20 °C
Boiling point or initial boiling point and boiling range	not determined
Evaporation rate	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	45 °C
Auto-ignition temperature	not determined
Decomposition temperature	no data available
pH (value)	not determined
Kinematic viscosity	not determined

### Solubility

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

### 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### Other safety characteristics

Miscibility	Completely miscible with water.
-------------	---------------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Powerful oxidizer.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 10.5 Incompatible materials

Acids, oxidisers.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

- acute toxicity estimate (ATE)

Exposure route	ATE
Oral	500 mg/kg

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
ethanediol	107-21-1	oral	500 mg/kg

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
ethanediol	107-21-1	oral	LD50	7,712 mg/kg	rat

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
ethanediol	107-21-1	dermal	LD50	>3,500 mg/kg	mouse
Ethanol	64-17-5	oral	LD50	10,470 mg/kg	rat
Ethanol	64-17-5	inhalation: vapour	LC50	124.7 mg/l/4h	rat
Butanone	78-93-3	oral	LD50	2,054 mg/kg	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	kidney	if swallowed

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

 Contains an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

Endocrine Disruptor lists				
Name of substance	CAS No	Endocrine disruptor for human health	Endocrine disruptor for the environment	Listed in
Butanone	78-93-3	yes		List II

#### Legend

List II Substances under evaluation for endocrine disruption under an EU legislation

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanediol	107-21-1	ErC50	<13,000 mg/l	algae	96 h
ethanediol	107-21-1	LC50	53,000 mg/l	fish	96 h
ethanediol	107-21-1	EC50	>100 mg/l	aquatic invertebrates	48 h
ethanediol	107-21-1	NOEC	>100 mg/l	algae	72 h
Ethanol	64-17-5	LC50	15,400 mg/l	fish	96 h
Ethanol	64-17-5	EC50	12,700 mg/l	fish	96 h
Ethanol	64-17-5	ErC50	22,000 mg/l	algae	96 h
Butanone	78-93-3	LC50	2,973 mg/l	fish	96 h
Butanone	78-93-3	EC50	308 mg/l	aquatic invertebrates	48 h
Butanone	78-93-3	ErC50	1,220 mg/l	algae	72 h
Butanone	78-93-3	NOAEC	1,240 mg/l	algae	96 h
Butanone	78-93-3	NOEC	1,170 mg/l	fish	96 h
Butanone	78-93-3	growth rate (Er-Cx) 10%	1,050 mg/l	algae	72 h
propan-2-ol	67-63-0	LC0	5,000 mg/l	aquatic invertebrates	24 h
propan-2-ol	67-63-0	LC50	10,000 mg/l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanediol	107-21-1	EC50	>15,000 mg/l	aquatic invertebrates	21 d
ethanediol	107-21-1	LC50	>1,500 mg/l	fish	28 d
ethanediol	107-21-1	NOEC	>40 mg/l	fish	28 d
ethanediol	107-21-1	growth (EbCx) 20%	>1,995 mg/l	microorganisms	30 min
Ethanol	64-17-5	LC50	1,806 mg/l	aquatic invertebrates	10 d
Ethanol	64-17-5	ErC50	675 mg/l	algae	4 d
Ethanol	64-17-5	NOEC	250 mg/l	fish	120 h
Ethanol	64-17-5	growth rate (Er-Cx) 10%	86 mg/l	algae	4 d
Butanone	78-93-3	LC50	1,816 mg/l	fish	24 h
Butanone	78-93-3	EC50	>345 mg/l	aquatic invertebrates	24 h
Butanone	78-93-3	ErC50	1,901 mg/l	algae	24 h
propan-2-ol	67-63-0	LC50	>10,000 mg/l	aquatic invertebrates	24 h
propan-2-ol	67-63-0	NOELR	>1,000 mg/l	fish	28 d

### 12.2 Persistence and degradability

#### Biodegradation

The relevant substances of the mixture are readily biodegradable.

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Contains an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

Endocrine Disruptor lists				
Name of substance	CAS No	Endocrine disruptor for human health	Endocrine disruptor for the environment	Listed in
Butanone	78-93-3	yes		List II

#### Legend

List II Substances under evaluation for endocrine disruption under an EU legislation

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID	UN 1170
IMDG-Code	UN 1170
ICAO-TI	UN 1170

### 14.2 UN proper shipping name

ADR/RID	ETHANOL SOLUTION
IMDG-Code	ETHANOL SOLUTION
ICAO-TI	Ethanol solution

### 14.3 Transport hazard class(es)

ADR/RID	3
IMDG-Code	3

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20


Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

ICAO-TI	3
<b>14.4 Packing group</b>	
ADR/RID	III
IMDG-Code	III
ICAO-TI	III
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	
	No data available.

### Additional information for each of the UN Model Regulations

#### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - additional information**

Classification code	F1
Danger label(s)	3
	
Special provisions (SP)	144, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	2Y

#### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - additional information**

Classification code	F1
Danger label(s)	3
	
Special provisions (SP)	144, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30

#### **International Maritime Dangerous Goods Code (IMDG) - additional information**

Marine pollutant	-
Danger label(s)	3

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13



Special provisions (SP)	144, 223
Exempted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Danger label(s)	3
-----------------	---



Special provisions (SP)	A3, A58, A180
Exempted quantities (EQ)	E1
Limited quantities (LQ)	10 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

##### Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
propan-2-ol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or		a)	

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
	properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment			

### Legend

a) Indicative list of the main pollutants

### Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

None of the ingredients are listed.

### Regulation 648/2004/EC on detergents

Labelling of contents	
Wt%	Constituents
	perfumes

### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

### National regulations (GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

None of the ingredients are listed.

### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name	Name acc. to inventory	Conditions of restriction	No
Synmar Screenwash Ready To Use -20	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	R3	3
Butanone	flammable / pyrophoric	R40	40
Ethanol	flammable / pyrophoric	R40	40
propan-2-ol	flammable / pyrophoric	R40	40

### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.
- Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
    - or even sucking the wick of lamps
    - may lead to life-threatening lung damage';

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

### Legend

- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopee' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  2. Without prejudice to the application of other legislation on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
    - 'For professional users only'.
  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (\*\*\*) .
  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
    - (\*\*\*) OJ L 147, 9.6.1975, p. 40.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.1	Unique formula identifier (UFI): FU20-G0CR-M00J-H6XK	Unique formula identifier (UFI): C850-N0PV-600D-1S8D
1.2	Relevant identified uses: Industrial use Professional use Consumer use Screenwash	Relevant identified uses: Industrial use Professional use Consumer use Screenwash Detergent
2.1		Classification (acc. to GB CLP): change in the listing (table)
2.1		Classification (acc. to GB CLP): change in the listing (table)
2.1	The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.
2.2		- pictograms: change in the listing (table)
2.2		- hazard statements: change in the listing (table)
2.2		- supplemental hazard information: change in the listing (table)
2.2		Tactile warning of danger: yes
2.2		- hazardous ingredients for labelling:

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Section	Former entry (text/value)	Actual entry (text/value)
		Contains: ethanediol.
2.3	Other hazards: There is no additional information.	Other hazards
2.3	Results of PBT and vPvB assessment: Does not contain any substances that are assessed to be PBT or vPvB $\geq 0.1\%$ .	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$ .
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$ .	Endocrine disrupting properties: Contains an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ . (Section 11 & 12).
3.2		Mixtures: change in the listing (table)
3.2		Mixtures: change in the listing (table)
4.1	Following eye contact: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	Following eye contact: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.
4.1	Following ingestion: Rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor if you feel unwell.	Following ingestion: Rinse mouth with water (only if the person is conscious). Induce vomiting when the affected person is not unconscious. Call a POISON CENTER/doctor. Call a POISON CENTER or doctor if you feel unwell.
4.2	Most important symptoms and effects, both acute and delayed	Most important symptoms and effects, both acute and delayed: Symptoms and effects are not known to date.
4.2	If inhaled: High concentrations: dry throat, sore throat, cough, irritation of the mucous membranes, breathing problems, central nervous system depression, headache, vertigo, drowsiness and/or loss of coordination.	
4.2	If on skin: Causes mild skin irritation.	
4.2	If in eyes: Causes serious eye irritation. Symptoms: redness and/or watering.	
4.2	If swallowed: After swallowing large amounts: risk of aspiration pneumonia, redness, fever, moist/clammy skin, excitement/restlessness, increased heartrate, central nervous system depression, headache, vertigo, drowsiness, loss of coordination, blurry sight, concentration problems, pain, loss of consciousness, tremors, stomach cramps and/or vomiting.	
5.1	Suitable extinguishing media: Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO <sub>2</sub> ); Co-ordinate firefighting measures to the fire surroundings.	Suitable extinguishing media: Water mist; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO <sub>2</sub> ); Co-ordinate firefighting measures to the fire surroundings.
5.2	Hazardous combustion products: During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO <sub>2</sub> ), sulphur oxides (SO <sub>x</sub> ).	Hazardous combustion products: During fire hazardous fumes/smoke could be produced: carbon monoxide (CO), carbon dioxide (CO <sub>2</sub> ).
6.3	Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece).	Advice on how to clean up a spill: Absorb with liquid-binding material (sand, diatomite, diatomaceous earth, acid binder, universal binder, sawdust).
7.1	- measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Keep away from	- measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Avoidance of ignition

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Section	Former entry (text/value)	Actual entry (text/value)
	sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.	sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
7.1	Specific notes/details: Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.	Specific notes/details: Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.
7.2	- flammability hazards: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.	- flammability hazards: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.
7.2	- incompatible substances or mixtures: Keep away from alkalis, oxidising substances, acids.	- incompatible substances or mixtures: Oxidising substances, acids.
7.2	- packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used.	- packaging compatibilities: Keep only in original container.
7.3	Specific end use(s): There is no additional information.	Specific end use(s): See section 1.2.
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)
8.1		Biological limit values
8.1		Biological limit values: change in the listing (table)
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components: change in the listing (table)
8.2	Appropriate engineering controls: General ventilation.	Appropriate engineering controls: General ventilation. Provide eyewash stations and safety showers at the workplace.
8.2	Eye/face protection: eye protection must be worn  Use safety goggle with side protection	Eye/face protection: eye protection must be worn  Use safety goggle with side protection
8.2	Skin protection: wear protective clothing  Chemical protective clothing.	Skin protection: wear protective clothing  Chemical protective clothing.
8.2	Hand protection: safety gloves must be worn  Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in	Hand protection: safety gloves must be worn  Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Section	Former entry (text/value)	Actual entry (text/value)
	advance and has therefore to be checked prior to the application.	advance and has therefore to be checked prior to the application.
8.2	Type of material: IIR: isobutene-isoprene (butyl) rubber, NP: neoprene	Type of material: PVA: polyvinyl alcohol, Nitrile rubber, NP: neoprene
8.2	- other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.	- other protection measures: Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.
8.2	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Full face mask (DIN EN 136). Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).	Respiratory protection: In case of inadequate ventilation wear respiratory protection. Full face mask (DIN EN 136). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).
9.1	Colour: blue - natural	Colour: blue
9.1	Odour: characteristic	Odour: alcohol
9.1	Melting point/freezing point: -97.8 °C calculated value, referring to a component of the mixture	Melting point/freezing point: -20 °C
9.1	Flash point: >23 °C	Flash point: 45 °C
9.1	pH (value): 7 (neutral)	pH (value): not determined
9.1	Solubility(ies): not determined	Solubility
9.1		Water solubility: miscible in any proportion
9.1		Density and/or relative density
9.1		Relative vapour density: information on this property is not available
9.2	Other information: There is no additional information.	Other information
9.2	Other safety characteristics: there is no additional information	Other safety characteristics
9.2		Miscibility: Completely miscible with water.
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Harmful if swallowed.
11.1	Acute toxicity of components of the mixture	
11.1		Acute toxicity estimate (ATE)
11.1		Acute toxicity estimate (ATE): change in the listing (table)
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)
11.1		Acute toxicity of components: change in the listing (table)
11.1	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	Serious eye damage/eye irritation: Causes serious eye irritation.
11.1	Specific target organ toxicity - repeated exposure:	Specific target organ toxicity - repeated exposure:

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Section	Former entry (text/value)	Actual entry (text/value)
	Shall not be classified as a specific target organ toxicant (repeated exposure).	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).
11.1		Specific target organ toxicity - repeated exposure: change in the listing (table)
11.2	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$ .	Endocrine disrupting properties: Contains an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .
11.2		Endocrine Disruptor lists: change in the listing (table)
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.5	Results of PBT and vPvB assessment: Does not contain any substances that are assessed to be PBT or vPvB $\geq 0.1\%$ .	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$ .
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$ .	Endocrine disrupting properties: Contains an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .
12.6		Endocrine Disruptor lists: change in the listing (table)
15.1		List of pollutants (WFD): change in the listing (table)
15.1		Regulation 648/2004/EC on detergents
15.1		Labelling of contents: change in the listing (table)
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)
16	Indication of changes (revised safety data sheet): Complete revision of the safety data sheet.	
16		Abbreviations and acronyms: change in the listing (table)
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

 Version number: 3.0  
 Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
NOAEC	No Observed Adverse Effect Concentration
NOEC	No Observed Effect Concentration
NOELR	No Observed Effect Loading Rate
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

As retained in UK law by (SI 2019/758 as amended)

## Synmar Screenwash Ready To Use -20

Version number: 3.0  
Replaces version of: 2022-12-22 (2)

Revision: 2025-02-13

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs (kidney) through prolonged or repeated exposure (if swallowed).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.